

## I-HUB Ctrl3 FIRMWARE RELEASE NOTES

### Release:

- ▶ 1.1

### Issued:

- ▶ June 16, 2017

### Improvements:

- ▶ HTTP GUI performance improvement.
- ▶ Support FSK communication for ChromaFlex or TranScend DeStacker-Proxy.
- ▶ User can select either FSK (1W monitor) or Ethernet (2 way monitor/control), not simultaneous.
- ▶ Added network configuration into HTTP GUI under system configuration.
- ▶ Merged slot view and provision pages into one.
- ▶ Fixed help menu in web GUI.

## Service & Support

### Contact ATX Networks

Please contact ATX Technical Support for assistance with any ATX products.

### Optical Transport

(ChromaFlex, I-HUB, Chromadigm, TranScend, COMPASS, ART)

### TECHNICAL SUPPORT

Tel: (408) 227-3400 – press 4

Fax: (408) 227-3403

Email: [opticalsupport@atxnetworks.com](mailto:opticalsupport@atxnetworks.com)

### CUSTOMER SERVICE

ATX Networks

5850 Hellyer Avenue

San Jose, CA 95138 USA

Tel: (408) 227-3400 – press 4

Fax: (408) 227-3403

Email: [opticalsales@atxnetworks.com](mailto:opticalsales@atxnetworks.com)

Web: [www.atxnetworks.com](http://www.atxnetworks.com)

Changes affect all product lines unless otherwise noted (CD Chromadigm, TSD TranScend, CF ChromaFlex, I-HUB).

GUI: Graphical User Interface over HTTP, CLI: Local interface with handheld client.

See [firmware upgrade instructions](#).

Although every effort has been taken to ensure the accuracy of this document it may be necessary, without notice, to make amendments or correct omissions. Specifications subject to change without notice.



5850 Hellyer Avenue, San Jose, CA 95138 USA  
Tel +1 (408) 227-3400 Fax +1 (408) 227-3403  
[www.atxnetworks.com](http://www.atxnetworks.com) [opticalsupport@atxnetworks.com](mailto:opticalsupport@atxnetworks.com)